## 2022

## CHEMISTRY — HONOURS

Paper: CC-4

(Inorganic Chemistry - 2)

MURALIDHAR GIRLS' COLLÉGÉ LIBRARY

Full Marks: 50

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

Answer question no. 1 and any eight questions from the rest.

## 1. Answer any ten questions:

1×10

- (a) Predict the geometry of IOF<sub>5</sub> and mention the hybridization of the central atom.
- (b) How does conductivity of metals and semi-conductors vary with temperature?
- (c) What is the expected mode of decay of 11 Na<sup>24</sup>?
- (d) Calculate the formal charge on each of the atoms of BF<sub>4</sub>.
- (e) Mention the limiting radius ratio for octahedral and cubic lattice structures.
- (f) Predict the greater bond angle among (∠Cl-O-Cl) and (∠Cl-S-Cl) in Cl<sub>2</sub>O and SCl<sub>2</sub> respectively
- (g) What type of defect will produce when solid KCl is heated with potassium vapour?
- (h) Draw two orbitals of your choice and depict them with 'gerade' or 'ungerade' designation.
- (i) Give an example of spallation reaction.
- (j) Write the trend in bond lengths of  $N_2^+$ ,  $N_2$  and  $N_2^-$ .
- (k) Arrange NH<sub>3</sub>, PH<sub>3</sub> and AsH<sub>3</sub> in terms of their boiling points.
- (l) Give an example of a molecule containing non-equivalent hybrid orbitals of the central atom.
- 2. (a) Explain the nature of defects present in NaCl and AgBr crystals with justification.
  - (b) Draw the resonating structures of thiocyanate (SCN) and cyanate (CNO) ions and predict the most stable structures in each case.
- 3. (a) Draw the MO diagram of CO and interprete its  $\pi$ -acidic character from the diagram.
  - (b) Why is the melting point of CuCl much lower than that of KCl?

3+2

- 4. (a) Predict the shape of the following compounds and the hybridization of the central atom:
  - (i)  $IO_2F_2^+$  (ii)  $XeF_4$  (iii)  $[ICl_4]^+$
  - (b) Bond angle in  $(SiH_3)_2O$  is larger than  $(CH_3)_2O$ . Explain.

3+2

- 5. (a) Calculate the approximate energy released in nuclear fission of 92U<sup>235</sup>. Binding energy per nucleon of U<sup>235</sup> is 7.6 MeV and that of the fission fragments is 8.45 MeV.
  - (b) What is radiocarbon dating?

3+2

- 6. (a) How can you differentiate between the conducting character of white tin and grey tin in the light of valence bond theory of metallic bond?
  - (b) CH3. and CF3. have different geometries. Explain.

3+2

- 7. (a) Boron (B<sub>2</sub>) is paramagnetic while carbon (C<sub>2</sub>) is diamagnetic. Explain in the light of MOT.
  - (b)  ${}_{0}^{18}$ F nuclide is radioactive although its n/p ratio is one. Explain.

3+2

- 8. (a) HF forms strong H-bonds than  $H_2O$  though  $\Delta H_{vap}$  of HF is lower than that of  $H_2O$ . Explain.
  - (b) Calculate the nuclear binding energy per nucleon in  ${}_{3}^{7}$ Li.

(Given  $m_e = 0.000549$  amu,  $m_p = 1.007277$  amu,  $m_n = 1.008665$  amu and

atomic mass of  ${}_{3}^{7}\text{Li} = 6.9814 \text{ amu}$ )

3+2

- 9. (a) What happens when Ge is doped with (i) As and (ii) Ga? Explain in the light of band theory.
  - (b) Calculate the partial charge on the bonded atoms and percent ionic character of HBr.

 $[ \mu = 2.60 \times 10^{-30} \text{ C.m} ]$ 

 $H - Br = 1.41\text{Å}, e = 1.60 \times 10^{-19} \text{ C}$ 

- 10. (a) Explain the order of bond angles :  $\angle H C H$ ,  $\angle H C F$ ,  $\angle F C F$  in  $CH_2F_2$  in the light of Bent's rule.
  - (b) I<sub>2</sub> is soluble in KI but not in water. Justify.

3+2

- 11. (a) MgSO<sub>4</sub> is soluble in water but BaSO<sub>4</sub> is insoluble, whereas BaO is more soluble in water than MgO. Explain.
  - (b) Write the basis set of orbitals for the formation of HF and explain each term.

3+2

12. (a) Calculate the lattice energy of MgBr<sub>2</sub>.

Given: Sublimation energy of  $Mg(s) = + 148 \text{ kJ mol}^{-1}$ 

Ionization energy (IE<sub>1</sub> + IE<sub>2</sub>) of Mg  $\rightarrow$  Mg<sup>2+</sup> = +2187 kJ mol<sup>-1</sup>

Vaporization energy of  $Br_2(l) = +31 \text{ kJ mol}^{-1}$ 

Dissociation energy of  $Br_2(g) = +193 \text{ kJ mol}^{-1}$ 

Electron gain enthalpy of Br  $(g) = -331 \text{ kJ mol}^{-1}$ 

Formation energy of  $MgBr_2(s) = -524 \text{ kJ mol}^{-1}$ 

MURALIDHAR GIRLS' COLLEGE

(b) Compare the thermal stability between MgCO3 and BeCO3 and explain.

3+2

(3)

MCC Library

MCClibrain

MCClibrain

X(2nd Sm.)-Chemistry-H/CC-4/CBCS

13. (a) Predict and explain the order of bond angles:

ibiaid

(i)  $NO_2^+$  and  $NO_2^-$  (ii)  $H_2S$  and  $H_2O$ 

(b) Write two limitations of radius ratio rule.

3+2

MCClipkan

MCClibran

MCCliloran

MURALIDHAR GIRLS: ÇQLLEGE LIBRARY

MCClibraty

MCClibrain