2022

MATHEMATICS — GENERAL

Paper: GE/CC-4

Full Marks: 65

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

Group - A

1. Choose the correct answer:

×10

- (a) Which of the following set is a group with respect to addition
 - (i) $\{-3, -2, -1, 0, 1, 2, 3\}$
- (ii) $\{-1, 1\}$

(iii) $\{-1, 0, 1\}$

- (iv) $\{0\}$.
- (b) -2 is an eigenvalue of the matrix $M = \begin{pmatrix} 2 & -2 & 3 \\ 1 & 1 & 1 \\ 1 & 3 & -1 \end{pmatrix}$. Then M^{-1} has an eigenvalue
 - (i) -2

(ii) 1

(iii) 2

- (iv) $-\frac{1}{2}$
- (c) Probability that at least one of the events A and B occurs is
 - (i) P(A) + P(B) P(AB)
- (ii) P(A) + P(B) + 2P(AB)
- (iii) P(A) + P(B) + P(AB)
- (iv) P(A) + P(B) 2P(AB)
- (d) Number of divisor of zero in the Ring $(\mathbb{Z}_5, \oplus, \odot)$ is
 - (i) 0

(ii) 1

(iii) 2

- (iv) 3
- (e) If (0, 1, 3) = a(2, 1, 1) + b(4, 2, 2), then the values of a and b are
 - (i) (1, 1)

(ii) (-1, 1)

(iii) (0, 0)

(iv) None of these.

(f) For the probability density function given by $f(x) = \begin{cases} e^{-x}, & x \ge 0 \\ 0, & \text{elsewhere} \end{cases}$

the mean is

(i) 1

(ii) $\frac{1}{2}$

(iii) 2

- (iv) 4
- (g) If $E(T_1) = \theta_1 + \theta_2$ and $E(T_2) = \theta_1 \theta_2$, then the unbiased estimator of θ_1 is
 - (i) $T_1 + T_2$

(ii) $\frac{1}{2}(T_1 - T_2)$

(iii) $\frac{1}{2}(T_1 + T_2)$

- (iv) $\frac{1}{2}(T_2 T_1)$
- (h) Binary number corresponding to the decimal number 27.625 is
 - (i) 11011.101

(ii) 10111.101

(iii) 11101.011

- (iv) 11011.011
- (i) Which of the following can be a variable name in C?
 - (i) Volatile

(ii) True

(iii) Friend

- (iv) Export.
- (j) The value of the FORTRAN expression : (A*(B+C))/D+A, where A=3, B=5, C=-2 and D=4 is
 - (i) 3

(ii) 4

(iii) 5

(iv) 6

Group-B

Unit-1

(Algebra - II)

2. Answer any three questions:

5×3

- (a) Prove that the set $Q \setminus \{-1\}$ is a group with respect to the composition 'o' defined by aob = a + b + ab. Is it abelian?
- (b) Show that the ring of matrix $\begin{bmatrix} a & b \\ 2b & a \end{bmatrix}$: $a,b \in \mathbb{R}$ does not form a Field, \mathbb{R} being the set of all real numbers.
- (c) Is the set $U = \{(x, y, z) \in \mathbb{R}^3 : x 2y + 3z = 0\}$ a subspace of the real vector space \mathbb{R}^3 ? If so, find the basis and dimension of this subspace.

MURALIDHAR GIRLS' COLLEGE LIBRARY

(3)X(4th Sm.)-Mathematics-G/(GE/CC-4)/CBC

- (d) Find the eigenvalues and eigenvectors of the matrix
- (e) Show that the real quadratic form $5x^2 + y^2 + 14z^2 4yz 10zx$ is positive definite.

Unit-2

(Computer Science and Programming)

- Answer any four questions:
 - (a) Find the product of $(11.0011)_2$ and $(10.01)_2$ and also find the octal and hexadecimal equivalents of the product.
 - 5 (b) Draw a flowchart for computing the g.c.d. of two positive integers m and n.
 - (i) Let A = 2.7, B = 3.5 and L = ABS (A 3.*B)/5. Find what will be stored at L
 - (ii) Write FORTRAN expression of $\frac{\sqrt{a + \log_e b}}{\sqrt{a + \log_e b}}$ 2+3
 - (d) Write an algorithm to sort n given integers in descending order.
 - (e) Write a FORTRAN program to find the area of a triangle whose three sides are given.
 - (f) What is positional number system? Why are binary numbers used in computer design?
 - (g) Write a FORTRAN program to check whether a year is a Leap year or not.

Unit-3

(Probability and Statistics)

4. Answer any four questions:

- (a) Bag A contains 2 white and 3 red balls; and bag B contains 4 white and 5 red balls. One ball is drawn at random from one of the bags and it is found to be red. Find the probability that it was drawn from bag B.
- (b) Four persons are chosen at random from a group containing 3 men, 2 women and 4 children. Show that the chances that exactly two of them will be children is
- (c) Find the coefficient of correlation from the following data:

x	0	1	2	3	4
f	2	3	5	10	-5

(d) Draw a Histogram from the following distribution:

Age Group	14-15	16-17	18-20	21-24	25 – 29	30-34	35 – 39
No. of wage earners	60	140	150	110	110	100	90

Please Turn Over

(e) The population of scores of 10 years children in a test is known to have a standard deviation 5.2. If a random sample of size 20 shows a mean of 16.9, find 95% confidence interval for the mean score of the population, assuming that the population is normal.

Given that
$$\frac{1}{\sqrt{2\pi}} \int_{1.96}^{\infty} e^{-\frac{x^2}{2}} dx = 0.025$$
.

- (f) If the equations of two regression lines obtained in a correlation analysis are 2y + x = 11 and 2x + 3y 18 = 0, determine which one of them is the regression equation of x on y. Find the means and correlation coefficient of x and y.
- (g) In a random sample of size 400 there are 80 defective items. Test at 5% level whether the proportion of defective items in the population may be regarded as $\frac{1}{6}$.

Given
$$\int_{0}^{1.96} \phi(t)dt = 0.475, \phi \text{ is the pdf of normal variate}$$

MURALIDHAR GIRLS' COLLEGE LIBRARY